

11549 N. Kendall Drive Miami, FL 33176 (305) 598-1425 office www.pouvetgroup.com

Initial _____

Discharge Instructions For:		Date:	
Procedure Performed:			
"normal" self fo	our pet was placed under general anesthesia, it is important or the next 12-24 hours. This means that your pet may appear or diet during this time.		
***Do NOT giv	ve your pet over-the-counter pain medications such as Tylen	ol or Ibuprofen as these can be TOXIC! ***	
Medications:			
	1	Next Dose	
	2	Next Dose	
	3	Next Dose	
Food & Water:			
	Restrict access to food for the first 6 hours after discharge	from the hospital, then feed small amounts.	
	Small amounts of water are okay to offer after discharge from the hospital.		
	Specific feeding instructions, if applicable, are noted at the bottom of this form.		
	If your pet came in for a dental, and extractions were perfect water.	ormed, you may soften your pet's food with warm	
Activity:			
	Minimize activity for 5-7 days. No jumping or running, as this could cause sutures to rupture.		
	Minimize activity for 3 days. No jumping or running, as this could cause sutures to rupture.		
	Activity should be limited to leash walks only, for use of th	e bathroom, for the specified duration.	
Sutures:			
	Sutures are dissolvable		
	Sutures need to be removed		
	No baths for the next 10 days, or until sutures have been re-	emoved	

Discourage licking or chewing at the sutures or incision site. Check the incision daily for swelling, redness, or discharge. If you notice any of these conditions, please call the hospital as soon as possible to have your pet rechecked.

E-collars are available for your pet at an additional charge. This is highly recommended to keep your pet from getting to the sutured area.

Drains & Hot Packing:

Drains are placed in contaminated areas to let fluid drain from a wound. The drainage flows out from under the skin around the drain tubing. It is very important to keep the exit holes clean and open so that proper drainage may occur. You can clean the area with either warm water or hydrogen peroxide.

It helps drainage if you hot pack the wound area with a warm washcloth (or warm compress) for 5 min, 2-3 times a day, until the drain is removed.

Bandages:

It is very important to keep the bandage clean and dry. When your pet goes outside to use the bathroom, cover the bandaged area with a plastic bag. If the bandage becomes wet, soiled, develops an odor, or your pet starts chewing at it, call the hospital as soon as possible to have your pet rechecked.

Your Pet Needs:

		Drain removal in 4-5 days
		Suture removal in 10-14 days
		Bandage change/check /removal in days
		A recheck in day
		Yesterday's News cat litter for 10 days post- declaw (this reduces the opportunity for infection to occur)
Medica	1 Notes	/Important Information:
Call Por	u Veter	inary Group, at (305) 598-1425, if you notice any of the following:
Vomitin	g or dia:	rrhea
Refusal	to eat, g	reater than 24-48 hours post-surgery
Severe b	leeding	
Bleeding	g or pus	from incision site
Continu	ous licki	ng or hiting at incision site

Initial _____